

Design, synthesis, molecular docking of novel quinazolinone-azole derivatives as anticancer agents

Leila Emami¹, Sara Sadeghian¹, Maryam Moghtader Mansouri¹, Razieh Sabet¹, Zeinab Faghih²,
Sedigheh Halimi¹, Soghra Khabnadideh^{1,2*}, Zahra Rezaei^{1*}

¹*Department of Medicinal Chemistry, School of Pharmacy, Shiraz University of Medical Sciences, Shiraz, Iran.*

²*Pharmaceutical Sciences Research Center, Shiraz University of Medical Sciences, Shiraz, Iran.*




Figure S1. The ^1H NMR spectrum of **7a**




Figure S2. The aromatic expand of ^1H NMR spectrum of **7a**




Figure S3. The ¹³CNMR spectrum of **7a**




Figure S4. The Mass spectrum of **7a**




Figure S5. The ¹H NMR spectrum of **7b**




Figure S6. The aromatic expand of ¹H NMR spectrum of **7b**




Figure S7. The ¹³CNMR spectrum of **7b**




Figure S8. The Mass spectrum of **7b**




Figure S9. The ^1H NMR spectrum of **7c**




Figure S10. The aromatic expand of ^1H NMR spectrum of **7c**




Figure S11. The ^{13}C NMR spectrum of **7c**




Figure S12. The Mass spectrum of **7c**




Figure S13. The ^1H NMR spectrum of **7d**




Figure S14. The aromatic expand of ^1H NMR spectrum of **7d**




Figure S15. The ¹³CNMR spectrum of **7d**




Figure S16. The Mass spectrum of **7d**




Figure S17. The ¹H NMR spectrum of **7e**




Figure S18. The aromatic expand of ¹H NMR spectrum of **7e**




Figure S19. The ¹³CNMR spectrum of 7e




Figure S20. The Mass spectrum of 7e